

## Cumulative Contents

### Review

- Emerging role of lipids of *Candida albicans*, a pathogenic dimorphic yeast  
*P. Mishra, J. Bolard and R. Prasad (India, France)*

1

### Regular Papers

- Proteins derived from platelet  $\alpha$  granules modulate the uptake of oxidized low-density lipoprotein by macrophages  
*B. Fuhrman, G.J. Brook and M. Aviram (Israel)* 15
- Tetrahydropyran ring-containing fatty acid-combined taurine (tetrathermoyltaurine) in the tauro lipid fraction of *Tetrahymena thermophila*  
*K. Kaya, T. Sano and F. Shiraishi (Japan)* 22
- Human peripheral lymph lipoproteins are enriched in sphingomyelin  
*D. Reichl and J.M. Sterchi (USA)* 28
- Differences in the interconversion between 20- and 22-carbon ( $n - 3$ ) and ( $n - 6$ ) polyunsaturated fatty acids in rat liver  
*A. Voss, M. Reinhart and H. Sprecher (USA)* 33
- Incorporation of new amphiphilic perfluoroalkylated bipyridine platinum and palladium complexes into liposomes: stability and structure-incorporation relationships  
*N. Garelli and P. Vierling (France)* 41
- Effects of sphingosine, albumin and unsaturated fatty acids on the activation and translocation of phosphatidate phosphohydrolases in rat hepatocytes  
*A. Gomez-Muñoz, E.H. Hamza and D.N. Brindley (Canada)* 49
- Regulation of HMG-CoA reductase, apoprotein-B and LDL receptor gene expression by the hypocholesterolemic drugs simvastatin and ciprofibrate in HepG2, human and rat hepatocytes  
*W. Qin, J. Infante, S.-R. Wang and R. Infante (France)* 57
- Plasma clearance of model lipoproteins containing saturated and polyunsaturated monoacylglycerols injected intravenously in the rat  
*B.-C. Mortimer, M.A. Kenrick, D.J. Holthouse, R.V. Stick and T.G. Redgrave (Australia)* 67

- Inhibition of cellular transport systems by alkyl phospholipid analogs in HL-60 human leukemia cells  
*D.R. Hoffman, V.L. Thomas and F. Snyder (USA)* 74
- Tissue lipid accumulation by L-aminocarnitine, an inhibitor of carnitine-palmitoyltransferase-2. Studies in intact rats and isolated mitochondria  
*P. Chiodi, F. Maccari and M.T. Ramacci (Italy)* 81
- Physical evidence for the presence of two forms of phosphatidate phosphohydrolase in rat liver  
*C.P. Day and S.J. Yeaman (UK)* 87

### Rapid Reports

- Endothelial EA.hy 926 cells can be loaded with cationized LDL, but not with acetylated LDL  
*E.P.C. Kilsdonk, A.N.R.D. Dorsman and A. Van Tol (Netherlands)* 95
- Base-exchange and cell growth in 3T6 mouse fibroblasts  
*U.I. Richardson and R.J. Wurtman (USA)* 99

### Regular Papers

- Phosphatidic acid and polyphosphoinositide metabolism in rod outer segments. Differential role of soluble and peripheral proteins  
*M.G. Ilincheta de Boscherio and N.M. Giusto (Argentina)* 105
- Concentration and distribution of apolipoproteins A-I and E in normolipidemic, WHHL and diet-induced hyperlipidemic rabbit sera  
*H. Mezdoor, S. Nomura, T. Yamamura and A. Yamamoto (Japan)* 116
- Isolation and characterization of two sub-species of Lp(a), one containing apo E and one free of apo E  
*J.-M. Bard, S. Delattre-Lestavel, V. Clavey, P. Pont, B. Derudas, H.-J. Parra and J.-C. Fruchart (France)* 124
- Peroxisation and phospholipase A<sub>2</sub> hydrolytic susceptibility of liposomes consisting of mixed species of phosphatidylcholine and phosphatidylethanolamine  
*M.G. Salgo, F.P. Corongiu and A. Sevanian (USA, Italy)* 131

Tea catechins decrease micellar solubility and intestinal absorption of cholesterol in rats <i>I. Ikeda, Y. Imasato, E. Sasaki, M. Nakayama, H. Nagao, T. Takeo, F. Yayabe and M. Sugano (Japan)</i>	141	Purification and characterization of a high-affinity binding protein for pancreatic-type phospholipase A <sub>2</sub> <i>K. Hanasaki and H. Arita (Japan)</i>	233
Lower levels of lipid peroxidation in human platelets incubated with eicosapentaenoic acid <i>C. Calzada, E. Véricel and M. Lagarde (France)</i>	147	Phospholipase D activity in nontransformed and transformed fibroblasts <i>C. Huang and M.C. Cabot (USA)</i>	242
Glycosylation of lipoprotein lipase in human subcutaneous and omental adipose tissues <i>K. Sakayama, H. Masuno, H. Okumura, T. Shibata and H. Okuda (Japan)</i>	153	Amphipathic poly(ethylene glycol) 5000-stabilized dioleoylphosphatidylethanolamine liposomes accumulate in spleen <i>D.C. Litzinger and L. Huang (USA)</i>	249
Observation of the inverted hexagonal phase of lipids by scanning tunneling microscopy <i>K. Zeng and K.C. Lin (China)</i>	157	Cholesteryl ester transfer protein promotes the association of HDL apolipoproteins A-I and A-II with LDL: potentiation by oleic acid <i>L. Lagrost and P.J. Barter (France, Australia)</i>	255
Glucocorticoids inhibit TNF $\alpha$ -induced cytosolic phospholipase A <sub>2</sub> activity <i>M. Goppelt-Strube and W. Rehfeldt (Germany)</i>	163	Gestational hyperlipidemia in the rat is characterized by accumulation of <i>n</i> - 6 and <i>n</i> - 3 fatty acids, especially docosahexaenoic acid <i>Z.-Y. Chen, J. Yang and S.C. Cunnane (Canada)</i>	263
Fibric acid derivatives: effects on the synthesis of isoprenoid lipids in cultured human lymphocytes <i>A. Henry, C.M. Allen and P.W. Stacpoole (USA)</i>	168	Limitations of phosphatidylcholine/deoxycholate mixtures for the analysis of phospholipase A <sub>2</sub> inhibition and activation: Illustration with annexins <i>F.F. Davidson and E.A. Dennis (USA)</i>	270
The visceral yolk sac - an important site of synthesis and secretion of apolipoprotein B containing lipoproteins in the feto-placental unit of the rat <i>D. Plonné, L. Winkler, H. Franke and R. Dargel (Germany)</i>	174	Antioxidant role of cellular reduced coenzyme Q homologs and $\alpha$ -tocopherol in free radical-induced injury of hepatocytes isolated from rats fed diets with different vitamin E contents <i>T. Matsuura, K. Yamada and T. Kawasaki (Japan)</i>	277
Calorimetric studies of lipid tubule formation from ethanol/water solutions <i>A.S. Rudolph, M. Ayers Testoff and R. Shashidar (USA)</i>	186	Albumin and fatty acid effects on the stimulated production of 1-O-hexadecyl-2-acetyl-sn-glycero-3-phosphocholine (PAF) by human polymorphonuclear leukocytes <i>P. Wheelan and K.L. Clay (USA)</i>	284
Use of specific polyclonal antibodies to detect heterogeneous lipases from <i>Geotrichum candidum</i> <i>E. Charton, C. Davies and A.R. Macrae (UK)</i>	191	Binary phase behavior of angiotoxic oxidized cholesterols with cholesterol <i>D.L. Dorset (USA)</i>	293
cDNA sequence and alternative mRNA splicing of surfactant-associated protein C (SP-C) in rabbit lung <i>I. Connelly and F. Possmayer (Canada)</i>	199	Stimulation of the activity and mRNA level of hepatic triacylglycerol lipase by triiodothyronine in HepG2 cells <i>S. Nozaki, I. Shimomura, T. Funahashi, M. Menju, M. Kubo and Y. Matsuzawa (Japan)</i>	298
Reversibility of the activation of soluble phospholipase A <sub>2</sub> on lipid bilayers: Implications for the activation mechanism <i>J.D. Bell, S.D. Brown and B.L. Baker (USA)</i>	208	Type C Niemann-Pick Disease: A murine model of the lysosomal cholesterol lipidosis accumulates sphingosine and sphinganine in liver <i>E. Goldin, C.F. Roff, S.P.F. Miller, C. Rodriguez-Lafrasse, M.T. Vanier, R.O. Brady and P.G. Pentchev (USA, France)</i>	303
Characteristics and regulation of ganglioside-induced elevation of free cytoplasmic Ca <sup>2+</sup> in human blood platelets <i>V.V. Vasylevskaya, V.N. Bochkov, N.V. Prokazyova and V.A. Tkachuk (Russia)</i>	221		
<b>Regular Papers</b>			
Detection and time-course analysis of phospholipid hydroperoxide in soybean seedlings after treatment with fungal elicitor, by chemiluminescence-HPLC assay <i>Y. Kondo, T. Miyazawa and J. Mizutani (Japan)</i>	227	Cumulative Contents, Vol. 1127	313
		Author Index	315

